

level	check	success_criteria	type	pages_count
A	All img elements have an alt attribute.	1.1.1	error	0
A	Alt text for all img elements used as source anchors is not empty when there is no other	1.1.1	error	0
A	"All input elements with a type attribute value of "image" have an alt attribute."	1.1.1	error	0
A	All area elements have an alt attribute.	1.1.1	error	0
A	All embed elements have an associated noembed element that contains a text	1.1.1	error	0
A	"All input elements, except those with with a type attribute value of "image", do not	1.1.1	error	0
A	"All input elements, type of "text", have an explicitly associated label."	1.3.1	error	0
A	All select elements have an explicitly associated label.	1.3.1	error	0
A	All textarea elements have an explicitly associated label.	1.3.1	error	0
A	All data table summaries contain text.	1.3.1	error	0
A	All layout tables have an empty summary attribute or no summary attribute.	1.3.1	error	14
A	All layout tables do not contain caption elements.	1.3.1	error	0
A	"All input elements, type of "password", have an explicitly associated label."	1.3.1	error	0
A	"All input elements, type of "checkbox", have an explicitly associated label."	1.3.1	error	0
A	"All input elements, type of "file", have an explicitly associated label."	1.3.1	error	5
A	"All input elements, type of "radio", have an explicitly associated label."	1.3.1	error	0
A	All radio button groups are marked using fieldset and legend elements.	1.3.1	error	0
A	"All input elements, type of "radio", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "checkbox", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "password", have a label containing text."	1.3.1	error	0
A	All select elements have a label that contains text.	1.3.1	error	0
A	All textarea elements have a label containing text.	1.3.1	error	0
A	"All input elements, type of "text", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "file", have a label containing text."	1.3.1	error	5
A	Table summaries do not duplicate the table captions.	1.3.1	error	1
A	Data tables that contain both row and column headers use the scope attribute to	1.3.1	error	6
A	Data tables that contain more than one row/column of headers use the id and headers	1.3.1	error	1
A	All checkbox groups are marked using fieldset and legend elements.	1.3.1	error	0
A	All text colors or no text colors are set.	1.4.1	error	0
AA	Provide sufficient contrast between text and background colours.	1.4.3	error	158
AA	Link text colour must contrast sufficiently with its background colour.	1.4.3	error	0
AA	b (bold) element is not used.	1.4.4	error	0

AA	i (italic) element is not used.	1.4.4	error	0
AA	basefont must not be used.	1.4.4	error	0
AA	font must not be used.	1.4.4	error	0
A	All onmousedown event handlers have an associated onkeydown event handler.	2.1.1	error	0
A	All onmouseout event handlers have an associated onblur event handler.	2.1.1	error	0
A	All onmouseover event handlers have an associated onfocus event handler.	2.1.1	error	0
A	All onmouseup event handlers have an associated onkeyup event handler.	2.1.1	error	0
A	Meta refresh is not used with a time-out.	2.2.1	error	0
A	blink element is not used.	2.2.2	error	0
A	marquee element is not used.	2.2.2	error	0
A	Auto-redirect must not be used.	2.2.2	error	0
A	All frames have a title attribute.	2.4.1	error	0
A	Document contains a title element.	2.4.2	error	0
A	title contains text.	2.4.2	error	0
A	Each source anchor contains text.	2.4.4	error	1
AA	The header following an h1 is h1 or h2.	2.4.6	error	35
AA	The header following an h2 is h1, h2 or h3.	2.4.6	error	1
AA	The header following an h3 is h1, h2, h3 or h4.	2.4.6	error	1
AA	The header following an h4 is h1, h2, h3, h4 or h5.	2.4.6	error	0
AA	The header following an h5 is h6 or any header less than h6.	2.4.6	error	0
A	Document has required lang attribute(s).	3.1.1	error	0
A	Document has valid language code.	3.1.1	error	0
A	Reading order direction is marked using the html element's dir attribute if the document's	3.1.1	error	0
A	Each input element has only one associated label.	3.3.2	error	0
A	Each label associated with an input element contains text.	3.3.2	error	0
A	id attributes must be unique.	4.1.1	error	0
A	Image Alt text is short.	1.1.1	review	0
A	A long description is used for each img element that does not have Alt text conveying the	1.1.1	review	9
A	"Alt text for all img elements is the empty string ("") if the image is decorative."	1.1.1	review	401
A	applet contains a text equivalent in the alt attribute of the applet.	1.1.1	review	0
A	applet contains a text equivalent in the body of the applet.	1.1.1	review	0
A	"Alt text for all input elements with a type attribute value of "image" identifies the	1.1.1	review	0
A	Alt text for all area elements identifies the link destination.	1.1.1	review	0

A	All objects contain a text equivalent of the object.	1.1.1	review	0
A	Alt text for all img elements that are not used as source anchors conveys the same	1.1.1	review	398
A	"Alt text for all input elements with a type attribute value of "image" contains all non-	1.1.1	review	0
A	Alt text for all area elements contains all non-decorative text in the image area.	1.1.1	review	0
A	"title attribute for all img elements is absent or the empty string (""") if the image is	1.1.1	review	0
A	Sound file must have a text transcript.	1.2.1	review	0
A	object link to multimedia file require equivalent alternatives (e.g., captions or auditory	1.2.3	review	0
A	object may require a long description.	1.2.3	review	0
A	All textarea elements have a label that is positioned close to control.	1.3.1	review	40
A	All complex data tables have a summary.	1.3.1	review	0
A	"All input elements, type of "password", have a label that is positioned close to the	1.3.1	review	1
A	"All input elements, type of "checkbox", have a label that is positioned close to the	1.3.1	review	12
A	"All input elements, type of "file", have a label that is positioned close to the control."	1.3.1	review	5
A	"All input elements, type of "radio", have a label that is positioned close to the control."	1.3.1	review	24
A	All data tables contain th elements.	1.3.1	review	195
A	All layout tables do not contain th elements.	1.3.1	review	5
A	All data tables contain a caption unless the table is identified within the document.	1.3.1	review	4
A	pre element should not be used to create tabular layout.	1.3.1	review	0
A	All data table summaries describe navigation and structure of the table.	1.3.1	review	6
A	All select elements have a label that is positioned close to the control.	1.3.1	review	10
A	"All input elements, type of "text", have a label that is positioned close to the control."	1.3.1	review	45
A	Use thead to group repeated table headers, tfoot for repeated table footers, and tbody	1.3.1	review	6
A	Use colgroup and col elements to group columns.	1.3.1	review	6
A	Table markup is used for all tabular information.	1.3.1	review	0
A	Table captions identify the table.	1.3.1	review	2
A	All visual lists are marked.	1.3.1	review	0
A	Unicode right-to-left marks or left-to-right marks are used whenever the HTML	1.3.1	review	0
A	All changes in text direction are marked using the dir attribute.	1.3.1	review	0
A	All layout tables make sense when linearized.	1.3.3	review	195
A	All text references do not use shape, size, or relative position alone.	1.3.3	review	0
AA	Content is not restricted to a single display orientation.	1.3.4	review	0
AA	The purpose of each input field collecting information about the user can be	1.3.5	review	0
A	For all img elements, text does not refer to the image by color alone.	1.4.1	review	9

A	applet should not use color alone.	1.4.1	review	0
A	input should not use color alone.	1.4.1	review	46
A	object must not use color alone.	1.4.1	review	0
A	Color alone should not be used in the script.	1.4.1	review	5
A	The luminosity contrast ratio between text and background color in all images is at least	1.4.1	review	401
AA	Scrolling in more than one direction is not necessary for small displays and zoomed	1.4.10	review	0
AA	The visual presentation of UI and graphics components have a contrast ratio of at least	1.4.11	review	0
AA	No loss of content or functionality occurs when changing certian text style properties.	1.4.12	review	0
AA	Additional content that appears and disappears in coordination with keyboard focus or	1.4.13	review	0
AA	Visited link text colour must contrast sufficiently with its background colour.	1.4.3	review	1008
AA	Active link text colour must contrast sufficiently with its background colour.	1.4.3	review	1008
AA	Selected link text colour must contrast sufficiently with its background colour.	1.4.3	review	1008
A	Alt text for all img elements contains all text in the image unless the image text is	1.4.5	review	10
A	applet user interface must be accessible.	2.1.1	review	0
A	object user interface must be accessible - (codebase).	2.1.1	review	0
A	User interface for script must be accessible.	2.1.1	review	5
A	All ondblclick event handlers have corresponding keyboard-specific functions.	2.1.1	review	0
A	All onmousemove event handlers have corresponding keyboard-specific functions.	2.1.1	review	0
A	applet provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	object provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	embed provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	Keyboard shortcuts are implemented in a changable and safe manner	2.1.4	review	0
A	All img elements have associated images that do not flicker.	2.3.1	review	39
A	applets cause screen flicker.	2.3.1	review	0
A	All objects do not flicker.	2.3.1	review	0
A	script should not cause screen flicker.	2.3.1	review	5
A	"A "skip to content" link appears on all pages with blocks of material prior to the main	2.4.1	review	0
A	All frame titles identify the purpose or function of the frame.	2.4.1	review	0
A	All groups of links with a related purpose are marked.	2.4.1	review	0
A	title describes the document.	2.4.2	review	1325
A	Link text is meaningful when read out of context.	2.4.4	review	1070
AA	Sites must have a site map.	2.4.5	review	0
AA	All h1 elements are not used for formatting.	2.4.6	review	1321

AA	All h2 elements are not used for formatting.	2.4.6	review	798
AA	All h3 elements are not used for formatting.	2.4.6	review	161
AA	All h4 elements are not used for formatting.	2.4.6	review	9
AA	All h5 elements are not used for formatting.	2.4.6	review	2
AA	All h6 elements are not used for formatting.	2.4.6	review	3
A	Content can be operated using simple inputs on a wide range of pointing devices.	2.5.1	review	0
A	Functionality that can be operated using a single pointer, is implemented in a safe	2.5.2	review	0
A	User interface components with labels that include text or images of text has the text	2.5.3	review	46
A	Functionality that can be operated by device motion or user motion can also be	2.5.4	review	0
A	Functionality that can be operated by device motion or user motion can be disabled to	2.5.4	review	0
AA	Words and phrases not in the document's primary language are marked.	3.1.2	review	0
A	Loading the web page does not cause a new window to open.	3.2.1	review	0
A	Change of context occurs only by user activation unless a warning is provided.	3.2.2	review	40
AA	Repeated blocks of content appear in the same frame within the frameset.	3.2.3	review	0
AA	The tab order specified by tabindex attributes follows a logical order.	3.2.3	review	5
AA	Repeated components appear in the same relative order each time they appear.	3.2.3	review	0
AA	blockquote must not be used for indentation.	3.2.4	review	7
AA	Use the blockquote element to mark-up block quotations.	3.2.4	review	0
A	All form submission error messages identify any empty required fields.	3.3.1	review	5
A	Each label describes its associated input element.	3.3.2	review	46
A	"All input elements, type of "file", have a label that describes the purpose or function of	3.3.2	review	0
A	All select elements have a label that describes the purpose or function of the control.	3.3.2	review	10
A	"All input elements, type of "password", have a label that describes the purpose or	3.3.2	review	1
A	"All input elements, type of "text", have a label that describes the purpose or function of	3.3.2	review	45
A	"All input elements, type of "checkbox", have a label that describes the purpose or	3.3.2	review	12
A	"All input elements, type of "radio", have a label that describes the purpose or function	3.3.2	review	24
A	All form fields that are required are indicated to the user as required.	3.3.2	review	5
AA	All form submission error messages provide assistance in correcting the error.	3.3.3	review	5
AA	Form submission data is presented to the user before final acceptance for all irreversible	3.3.4	review	5
AA	Information deleted using a web page can be recovered.	3.3.4	review	5
AA	Status messages can be programmatically determined through role or properties.	4.1.3	review	0
A	Alt text is not the same as the filename unless author has confirmed it is correct.	1.1.1	warning	0
A	Alt text for all img elements is not placeholder text unless author has confirmed it is	1.1.1	warning	0

A	"Alt text for all input elements with a type attribute value of "image" is less than 100	1.1.1	warning	0
A	Image used in input element - Alt text should not be placeholder text.	1.1.1	warning	0
A	area link to sound file must have text transcript.	1.1.1	warning	0
A	Links to multimedia require a text transcript.	1.2.1	warning	0
A	Links to multimedia have a link to text alternative.	1.2.1	warning	0
A	All p elements are not used as headers.	1.3.1	warning	470
A	ASCII art should have a skipover link.	2.4.1	warning	0
A	title is short.	2.4.2	warning	0
A	title is not placeholder text.	2.4.2	warning	0
A	Suspicious link text.	2.4.4	warning	0
A	area should not open new window without warning.	3.2.2	warning	0
A	All select elements do not cause an extreme change in context.	3.2.2	warning	0
AA	List items must not be used to format text.	3.2.4	warning	224