

level	check	success_cr	type	pages_count
A	All img elements have an alt attribute	1.1.1	error	0
A	Alt text is not the same as the filename unless author has confirmed it is correct.	1.1.1	warning	0
A	Image Alt text is short.	1.1.1	review	0
A	Alt text for all img elements is not placeholder text unless author has confirmed it is correct.	1.1.1	warning	0
A	Alt text for all img elements used as source anchors is not empty when there is no other text in the anchor.	1.1.1	error	0
A	A long description is used for each img element that does not have Alt text conveying the same information as the image.	1.1.1	review	5
A	"Alt text for all img elements is the empty string ("") if the image is decorative."	1.1.1	review	322
A	applet contains a text equivalent in the alt attribute of the applet.	1.1.1	review	0
A	applet contains a text equivalent in the body of the applet.	1.1.1	review	0
A	"All input elements with a type attribute value of "image" have an alt attribute."	1.1.1	error	0
A	"Alt text for all input elements with a type attribute value of "image" identifies the purpose or function of the image."	1.1.1	review	0
A	"Alt text for all input elements with a type attribute value of "image" is less than 100 characters (English) or the user has confirmed that the Alt text is as short as possible."	1.1.1	warning	0
A	Image used in input element - Alt text should not be placeholder text.	1.1.1	warning	0
A	All area elements have an alt attribute.	1.1.1	error	0
A	Alt text for all area elements identifies the link destination.	1.1.1	review	0
A	area link to sound file must have text transcript.	1.1.1	warning	0
A	All objects contain a text equivalent of the object.	1.1.1	review	0
A	All embed elements have an associated noembed element that contains a text equivalent to the embed element.	1.1.1	error	0
A	Alt text for all img elements that are not used as source anchors conveys the same information as the image.	1.1.1	review	318
A	"Alt text for all input elements with a type attribute value of "image" contains all non-decorative text in the image."	1.1.1	review	0
A	Alt text for all area elements contains all non-decorative text in the image area.	1.1.1	review	0
A	"All input elements, except those with with a type attribute value of "image", do not have an alt attribute."	1.1.1	error	0
A	"title attribute for all img elements is absent or the empty string ("") if the image is decorative."	1.1.1	review	0
A	Sound file must have a text transcript.	1.2.1	review	0
A	Links to multimedia require a text transcript.	1.2.1	warning	0
A	Links to multimedia have a link to text alternative.	1.2.1	warning	0
A	object link to multimedia file require equivalent alternatives (e.g., captions or auditory descriptions of the visual track).	1.2.3	review	0
A	object may require a long description.	1.2.3	review	0
A	"All input elements, type of "text", have an explicitly associated label."	1.3.1	error	0
A	All p elements are not used as headers.	1.3.1	warning	0
A	All select elements have an explicitly associated label.	1.3.1	error	0
A	All textarea elements have an explicitly associated label.	1.3.1	error	0
A	All textarea elements have a label that is positioned close to control.	1.3.1	review	41
A	All complex data tables have a summary.	1.3.1	review	0
A	All data table summaries contain text.	1.3.1	error	0
A	All layout tables have an empty summary attribute or no summary attribute.	1.3.1	error	10
A	All layout tables do not contain caption elements.	1.3.1	error	0
A	"All input elements, type of "password", have an explicitly associated label."	1.3.1	error	0
A	"All input elements, type of "checkbox", have an explicitly associated label."	1.3.1	error	0
A	"All input elements, type of "file", have an explicitly associated label."	1.3.1	error	5
A	"All input elements, type of "radio", have an explicitly associated label."	1.3.1	error	0
A	"All input elements, type of "password", have a label that is positioned close to the control."	1.3.1	review	0
A	"All input elements, type of "checkbox", have a label that is positioned close to the control."	1.3.1	review	14
A	"All input elements, type of "file", have a label that is positioned close to the control."	1.3.1	review	5
A	"All input elements, type of "radio", have a label that is positioned close to the control."	1.3.1	review	24
A	All data tables contain th elements.	1.3.1	review	199

A	All layout tables do not contain th elements.	1.3.1	review	5
A	All data tables contain a caption unless the table is identified within the document.	1.3.1	review	3
A	pre element should not be used to create tabular layout.	1.3.1	review	0
A	All radio button groups are marked using fieldset and legend elements.	1.3.1	error	0
A	All data table summaries describe navigation and structure of the table.	1.3.1	review	4
A	"All input elements, type of "radio", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "checkbox", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "password", have a label containing text."	1.3.1	error	0
A	All select elements have a label that contains text.	1.3.1	error	0
A	All select elements have a label that is positioned close to the control.	1.3.1	review	11
A	"All input elements, type of "text", have a label that is positioned close to the control."	1.3.1	review	0
A	All textarea elements have a label containing text.	1.3.1	error	0
A	"All input elements, type of "text", have a label containing text."	1.3.1	error	0
A	"All input elements, type of "file", have a label containing text."	1.3.1	error	5
A	Use thead to group repeated table headers, tfoot for repeated table footers, and tbody for other groups of rows.	1.3.1	review	5
A	Use colgroup and col elements to group columns.	1.3.1	review	5
A	Table markup is used for all tabular information.	1.3.1	review	0
A	Table captions identify the table.	1.3.1	review	0
A	Table summaries do not duplicate the table captions.	1.3.1	error	0
A	Data tables that contain both row and column headers use the scope attribute to identify cells.	1.3.1	error	5
A	Data tables that contain more than one row/column of headers use the id and headers attributes to identify cells.	1.3.1	error	0
A	All checkbox groups are marked using fieldset and legend elements.	1.3.1	error	0
A	All visual lists are marked.	1.3.1	review	0
A	Unicode right-to-left marks or left-to-right marks are used whenever the HTML bidirectional algorithm produces undesirable results.	1.3.1	review	0
A	All changes in text direction are marked using the dir attribute.	1.3.1	review	0
A	All layout tables make sense when linearized.	1.3.3	review	199
A	All text references do not use shape, size, or relative position alone.	1.3.3	review	0
AA	Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	1.3.4	review	0
AA	The purpose of each input field collecting information about the user can be programmatically determined.	1.3.5	review	0
A	For all img elements, text does not refer to the image by color alone.	1.4.1	review	0
A	applet should not use color alone.	1.4.1	review	0
A	input should not use color alone.	1.4.1	review	0
A	object must not use color alone.	1.4.1	review	0
A	Color alone should not be used in the script.	1.4.1	review	0
A	The luminosity contrast ratio between text and background color in all images is at least 4.5:1.	1.4.1	review	322
A	All text colors or no text colors are set.	1.4.1	error	0
AA	Scrolling in more than one direction is not necessary for small displays and zoomed content.	1.4.10	review	0
AA	The visual presentation of UI and graphics components have a contrast ratio of at least 3:1 against adjacent color(s).	1.4.11	review	0
AA	No loss of content or functionality occurs when changing certain text style properties.	1.4.12	review	0
AA	Additional content that appears and disappears in coordination with keyboard focus or pointer hover does not obstruct operation.	1.4.13	review	0
AA	Provide sufficient contrast between text and background colours.	1.4.3	error	164
AA	Visited link text colour must contrast sufficiently with its background colour.	1.4.3	review	0
AA	Active link text colour must contrast sufficiently with its background colour.	1.4.3	review	0
AA	Selected link text colour must contrast sufficiently with its background colour.	1.4.3	review	0
AA	Link text colour must contrast sufficiently with its background colour.	1.4.3	error	0
AA	b (bold) element is not used.	1.4.4	error	0
AA	i (italic) element is not used.	1.4.4	error	0

AA	basefont must not be used.	1.4.4	error	0
AA	font must not be used.	1.4.4	error	0
A	Alt text for all img elements contains all text in the image unless the image text is decorative or appears elsewhere in the document.	1.4.5	review	6
A	applet user interface must be accessible.	2.1.1	review	0
A	object user interface must be accessible - (codebase).	2.1.1	review	0
A	User interface for script must be accessible.	2.1.1	review	0
A	All ondblclick event handlers have corresponding keyboard-specific functions.	2.1.1	review	0
A	All onmousedown event handlers have an associated onkeydown event handler.	2.1.1	error	0
A	All onmousemove event handlers have corresponding keyboard-specific functions.	2.1.1	review	0
A	All onmouseout event handlers have an associated onblur event handler.	2.1.1	error	0
A	All onmouseover event handlers have an associated onfocus event handler.	2.1.1	error	0
A	All onmouseup event handlers have an associated onkeyup event handler.	2.1.1	error	0
A	applet provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	object provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	embed provides a keyboard mechanism to return focus to the parent window.	2.1.2	review	0
A	Keyboard shortcuts are implemented in a changeable and safe manner	2.1.4	review	0
A	Meta refresh is not used with a time-out.	2.2.1	error	0
A	blink element is not used.	2.2.2	error	0
A	marquee element is not used.	2.2.2	error	0
A	Auto-redirect must not be used.	2.2.2	error	0
A	All img elements have associated images that do not flicker.	2.3.1	review	0
A	applets cause screen flicker.	2.3.1	review	0
A	All objects do not flicker.	2.3.1	review	0
A	script should not cause screen flicker.	2.3.1	review	0
A	"A "skip to content" link appears on all pages with blocks of material prior to the main document."	2.4.1	review	0
A	All frames have a title attribute.	2.4.1	error	0
A	All frame titles identify the purpose or function of the frame.	2.4.1	review	0
A	ASCII art should have a skipover link.	2.4.1	warning	0
A	All groups of links with a related purpose are marked.	2.4.1	review	0
A	Document contains a title element.	2.4.2	error	0
A	title contains text.	2.4.2	error	0
A	title is short.	2.4.2	warning	0
A	title is not placeholder text.	2.4.2	warning	0
A	title describes the document.	2.4.2	review	1318
A	Link text is meaningful when read out of context.	2.4.4	review	1322
A	Suspicious link text.	2.4.4	warning	0
A	Each source anchor contains text.	2.4.4	error	0
AA	Sites must have a site map.	2.4.5	review	0
AA	The header following an h1 is h1 or h2.	2.4.6	error	51
AA	The header following an h2 is h1, h2 or h3.	2.4.6	error	0
AA	The header following an h3 is h1, h2, h3 or h4.	2.4.6	error	0
AA	The header following an h4 is h1, h2, h3, h4 or h5.	2.4.6	error	0
AA	The header following an h5 is h6 or any header less than h6.	2.4.6	error	0
AA	All h1 elements are not used for formatting.	2.4.6	review	0
AA	All h2 elements are not used for formatting.	2.4.6	review	0
AA	All h3 elements are not used for formatting.	2.4.6	review	189
AA	All h4 elements are not used for formatting.	2.4.6	review	0

AA	All h5 elements are not used for formatting.	2.4.6	review	0
AA	All h6 elements are not used for formatting.	2.4.6	review	0
A	Content can be operated using simple inputs on a wide range of pointing devices.	2.5.1	review	0
A	Functionality that can be operated using a single pointer, is implemented in a safe manner.	2.5.2	review	0
A	User interface components with labels that include text or images of text has the text that is presented visually contained in the name.	2.5.3	review	0
A	Functionality that can be operated by device motion or user motion can also be operated by user interface.	2.5.4	review	0
A	Functionality that can be operated by device motion or user motion can be disabled to prevent accidental actuation.	2.5.4	review	0
A	Document has required lang attribute(s).	3.1.1	error	0
A	Document has valid language code.	3.1.1	error	0
A	Reading order direction is marked using the html element's dir attribute if the document's primary language is read right to left.	3.1.1	error	0
AA	Words and phrases not in the document's primary language are marked.	3.1.2	review	0
A	Loading the web page does not cause a new window to open.	3.2.1	review	0
A	area should not open new window without warning.	3.2.2	warning	0
A	All select elements do not cause an extreme change in context.	3.2.2	warning	0
A	Change of context occurs only by user activation unless a warning is provided.	3.2.2	review	41
AA	Repeated blocks of content appear in the same frame within the frameset.	3.2.3	review	0
AA	The tab order specified by tabindex attributes follows a logical order.	3.2.3	review	0
AA	Repeated components appear in the same relative order each time they appear.	3.2.3	review	0
AA	List items must not be used to format text.	3.2.4	warning	0
AA	blockquote must not be used for indentation.	3.2.4	review	0
AA	Use the blockquote element to mark-up block quotations.	3.2.4	review	0
A	All form submission error messages identify any empty required fields.	3.3.1	review	0
A	Each input element has only one associated label.	3.3.2	error	0
A	Each label associated with an input element contains text.	3.3.2	error	0
A	Each label describes its associated input element.	3.3.2	review	0
A	"All input elements, type of "file", have a label that describes the purpose or function of the control."	3.3.2	review	0
A	All select elements have a label that describes the purpose or function of the control.	3.3.2	review	11
A	"All input elements, type of "password", have a label that describes the purpose or function of the control."	3.3.2	review	1
A	"All input elements, type of "text", have a label that describes the purpose or function of the control."	3.3.2	review	0
A	"All input elements, type of "checkbox", have a label that describes the purpose or function of the control."	3.3.2	review	14
A	"All input elements, type of "radio", have a label that describes the purpose or function of the control."	3.3.2	review	0
A	All form fields that are required are indicated to the user as required.	3.3.2	review	0
AA	All form submission error messages provide assistance in correcting the error.	3.3.3	review	0
AA	Form submission data is presented to the user before final acceptance for all irreversible transactions.	3.3.4	review	0
AA	Information deleted using a web page can be recovered.	3.3.4	review	0
A	id attributes must be unique.	4.1.1	error	0
AA	Status messages can be programmatically determined through role or properties.	4.1.3	review	0